

# ▶ FOOT CARE INNOVATIONS

▶ Performance Instruments

▶ Precision Tools


▶ Essential Accessories



Distributed by:

FERNANDA'S BEAUTY AND SPA SUPPLIES  
WWW.FERNANDAS.COM | SALES@FERNANDAS.COM | 1-800-862-1447

# ▶ ROTATOOL DELUXE



The New line of Rotatool units is setting a new standard for podiatry drills.

## SILENT, LOW-WEIGHT, RELIABLE, SUPERIOR

Rotatool Deluxe is equipped with programmable memory and a light on the hand piece. The new Rotatool units have a **Brushless Suction Motor**, which is not only very silent, but also much lower in weight. Rotatool Deluxe is a pleasure for your ears and your back when working with it.

### TECHNOLOGY

Speed: 6.000-40.000 rpm

Maintenance-free Brushless Suction Motor

Modern, easy-to-clean membrane keyboard

Extra large speed display

Displays information about: speed/left right direction, Suction level, date and time, filter change and date of last inspection

3 preferred speed steps saved and called via program mode

Regular and reverse switch (left/right)

Works only with Micro Filter RT-H5179

### TECHNICAL DATA

Size: W 273 x H 142 x D 235 mm (W 11" x H 5½" x D 9¼")

\*excludes exterior parts attached

Suitable for all Hadewe carrying cases

Total weight: 2.7 kg (6 lbs)

Noise level: 49 db (55 db at full throttle)

### HAND PIECE FEATURES

Powerful LED-light at the top of the hand piece

Maintenance-free, Brushless Hand Piece Motor

Patented Power Clamping System

High torque, low vibration, silent running

Suitable for all common burs of Ø 2.35 mm (3/32")

Two-fold sealing of the ball bearings

Hand Piece: Ø ¾"-1", length: 5¾", weight: 5.29 oz

There is a **Smart Key** at the bottom of the hand piece, which allows fast access to important functions. You can easily switch between preset speeds by pressing the key once, or turn the whole unit on/off by keeping it pressed.



The knob of the **Quick Chuck Device**, which allows you to change the tools easily and securely, has been made of TPE (*thermoplastic elastomer*). TPE is a soft material that makes it comfortable to use the knob.



There is a **Light Source**, which is directly implemented at the hand piece, and which allows for ideal work conditions even when the external light sources are insufficient.



# ▶ ROTATOOL ESSENTIAL



## TECHNOLOGY

Speed: 6.000-40.000 rpm  
 Maintenance-free Brushless Suction Motor  
 Modern, easy-to-clean membrane keyboard  
 Extra large speed display  
 Regular and reverse switch (left/right)  
 Works only with Micro Filter RT-H5179

## TECHNICAL DATA

Size: W 273 x H 142 x D 235 mm (W 11" x H 5½" x D 9¼")  
 \*excludes exterior parts attached  
 Suitable for all Hadewe carrying cases  
 Total weight: 2.7 kg (6 lbs)  
 Noise level: 49 db (55 db at full throttle)

## HAND PIECE FEATURES

Maintenance-free, Brushless Hand Piece Motor  
 Patented Power Clamping System  
 High torque, low vibration, silent running  
 Suitable for all common burs of Ø 2.35 mm (3/32")  
 Two-fold sealing of the ball bearings  
 Hand Piece: Ø ¾"-1", length: 5¾", weight: 5.29 oz


## CHANGING THE FILTER

Check the status of your filter frequently. As soon as the display shows that a filter change is required, you only need to open the hatch at the side of the unit to replace the filter with a new one. The filter chamber is easily accessed and can be comfortably opened thanks to the magnet holders in the door. The Micro Filter Bags RT-H5179 are classified as class M filters by the BIA (Germany's Health & Safety Institute for the work environment) meaning they have dust retention capacity of 99.9%

*\* NOTE: Conventional paper filters (RT-H5115) cannot be used with Rotatool Essential and Rotatool Deluxe units.*

## CLEANING THE CHUCK

Simple and fast maintenance of the basic components of the hand piece is a key benefit of the Rotatool units. The regular maintenance of the hand piece should take less than one minute to complete. Follow the steps detailed in the user manual provided with the unit. Regular cleaning and basic maintenance can be easily performed by the end user. Repairs and servicing should be performed by an authorized Rotatool technician.



# PRECISION GERMAN MANUFACTURED

## ROTATOOL BURRS TiAIN - AC-BLUE WEAR PROTECTION COATING

TiAIN coating offers high durability and removal rate, easy cleaning and longer life, as well as reduced heat development compared to non-coated burs.



RT505-LSQ -TiAIN



RT512-LSQ -TiAIN



RT515-LSQ -TiAIN



RT555-LSQ -TiAIN

## ROTATOOL NEM BURRS

NEM burs combines both coarse and fine cuts in one burr providing highly efficient reduction combined with a smooth finish.



RT505-NEM



RT512-NEM



RT515-NEM



RT535-NEM



RT555-NEM

## ROTATOOL LSQ BURRS

LSQ burs offer a high removal rate and are well suited for fast removal of thick nails and callus.



RT505-LSQ



RT507-LSQ



RT512-LSQ



RT515-LSQ



RT591-LSQ

## ROTATOOL LGQ BURRS

LGQ burs offer a very high removal rate and are well suited for fast removal of thick nails and callus.



RT 510 LGQ



RT 512 LGQ



RT 515 LGQ

## ROTATOOL STANDARD CARBIDE BURRS

High quality carbide burs that come in fine, medium, coarse, and extra coarse cuts. The extra coarse burs should only be used for the reduction of very thick wooden nails.



RT514XC



RT516XC

EXTRA COARSE CUT



RT509C



RT512C



RT515C

COARSE CUT

## ROTATOOL STANDARD DIAMOND BURRS

High quality diamond burs that come in medium, coarse, and extra coarse grits. Long lasting and excellent for callus removal and smoothing nails. (Different grits available.)



RT404M



RT429M



RT430M



RT431M



RT434M



RT435M



RT436M

## ROTATOOL EXPERT DIAMOND BURRS

High quality diamond burs offering a larger surface area for callus removal. Various grits available.



RT417C



RT417XC



RT418C



RT418XC




RT444C



RT485M



### COARSE CROSS CUT



### MEDIUM CROSS CUT



### FINE CROSS CUT



### ▶ ROTATOOL CERAMIC BURS

High quality ceramic burs that offer all of the effectiveness of a carbide with limited heat generation.



### ▶ ROTATOOL NEQ BALL & TREPHINE BURS

All diameters NEQ ball burs have eight blades and offer efficient and effective corn removal. The trephine burs come with or without blades.



### MEDIUM CUT

### FINE CUT



### ▶ ROTATOOL DIAMOND BALL BURS

Various diameters of diamond ball burs are available to effectively remove small calluses and smooth nails.



# ▶ PACK IT UP YOU'RE READY TO GO

CASES & SOLUTIONS TO TAKE YOUR PRACTICE ON THE ROAD



## RT-H0654 Grey Case

- ▶ Thermoplastic housing made out of ABS (Acrylonitrile butadiene styrene) polymer, which is impact resistant, easy-to-clean & Resistant against most disinfection fluids.
- ▶ Two drawers provide substantial space & allow a clear and proper way to order your work tools and instruments.
- ▶ Drawers can be removed from the case to keep them closer to your work operation.
- ▶ Padded hand piece holder inside the case for safe transport.
- ▶ The carrying case features sturdy rollers and an extendable, telescopic arm.

## RT-H0909 Black Case

- ▶ The Hadewe carrying cases are suitable for all current Hadewe units.
- ▶ You can comfortably work from "out of the case" since the doors open sideways. And you also have additional space for your tools!
- ▶ The cases feature reinforced wheels, an extractable telescopic carrying handle, an easy-to-clean synthetic leather surface inside, and a very handy document folder in the lid.
- ▶ The podiatry drills in all Hadewe cases are secured with hook and loop straps.



## Foot Rest RT-H0912

- ▶ The footrest is perfect for use during home visits, and assists you in putting the patient's foot where you can best work on it.
- ▶ It comes with a carrying bag (W 690 x H 320 x D 240 mm) (W 9 1/2" x H 27" x D 12 1/2")
- ▶ Light weight of 1.1 kg (2.42 lbs)
- ▶ Height (between 46-67 cm / 12-26 inches) and multiple angles are separately adjustable.
- ▶ The joints are extra steel reinforced to prevent breaking under weight.



## RT-H3670 (Blue) Basin

- ▶ New flexible catch basin. Consisting of a disinfectable elastic material.
- ▶ Provides a soft basis to put your patient's leg on, and can easily be pressed down, when working on the heel.
- ▶ Excess spray water will be collected in the basin.
- ▶ The Flex catch Basin can be rolled together for mobile transport and also fits into our carrying cases, or the bag of the foot rest.
- ▶ Size: W 330 x H 100 x D 510, Weight 580 g (W 13" x H 4" x D 22 3/4", Weight: 1.28 lbs)



## Tool Tray RT-H0219

- ▶ This hard plastic tray allows you to keep all your tools and instruments within reach. You can hang it on the footrest and it can be turned 360° in all directions.
- ▶ The tray consists of hard to break plastic, and is resistant against disinfection liquid.
- ▶ Includes 2 tool trays and 1 holder.
- ▶ Size: W 260 x H 75 x D 360, Weight: 400 g (W 10 1/4" x H 3" x D 14", Weight: 14 oz)



Distributed by:

FERNANDA'S BEAUTY AND SPA SUPPLIES

# ABRASIVE CAPS Effective & Efficient!

## PODO

SK PODO, round Ø5mm

Image	Part Product	Description	Grit
	RT341PD-C100	XS-C Podo Cap 05080 - 100/Pack	Coarse
RPM: 7,000 - 10,000 (Max RPM: 11,000)	RT341PD-M100	XS-M Podo Cap 05150 - 100/Pack	Medium

SK PODO, round Ø7mm

Image	Part Product	Description	Grit
	RT342PD-C100	S-C Podo Cap 07080 - 100/Pack	Coarse
RPM: 7,000 - 10,000 (Max RPM: 11,000)	RT342PD-M100	S-M Podo Cap 07150 - 100/Pack	Medium

SK PODO, round Ø10mm

Image	Part Product	Description	Grit
	RT343PD-C100	M-C Podo Cap 00080 - 100/Pack	Coarse
RPM: 7,000 - 10,000 (Max RPM: 11,000)	RT343PD-M100	M-M Podo Cap 10150 - 100/Pack	Medium

SK PODO, round Ø13mm

Image	Part Product	Description	Grit
	RT344PD-C50	L-C Podo Cap 13080 - 50/Pack	Coarse
	RT344PD-M50	L-M Podo Cap 13150 - 50/Pack	Medium
	RT344PD-C100	L-C Podo Cap 13080 - 100/Pack	Coarse
	RT344PD-M100	L-M Podo Cap 13150 - 100/Pack	Medium
RPM: 7,000 - 10,000 (Max RPM: 11,000)			

SK PODO, round Ø13mm

Image	Part Product	Description	Grit
	RT345PD-C50	XL-C Podo Cap 16080 - 50/Pack	Coarse
	RT345PD-M50	XL-M Podo Cap 16150 - 50/Pack	Medium
	RT345PD-C100	XL-C Podo Cap 16080 - 100/Pack	Coarse
	RT345PD-M100	XL-M Podo Cap 16150 - 100/Pack	Medium
RPM: 7,000 - 10,000 (Max RPM: 11,000)			

## THERMO

SK THERMO, round Ø5mm

Image	Part Product	Description	Grit
	RT341TH-C100	XS-C Thermo Cap 05080 - 100/Pack	Coarse
RPM: 7,000 - 10,000 (Max RPM: 11,000)	RT341TH-M100	XS-M Thermo Cap 05150 - 100/Pack	Medium

SK THERMO, round Ø7mm

Image	Part Product	Description	Grit
	RT342TH-C100	S-C Thermo Cap 07080 - 100/Pack	Coarse
RPM: 7,000 - 10,000 (Max RPM: 11,000)	RT342TH-M100	S-M Thermo Cap 07150 - 100/Pack	Medium

SK THERMO, round Ø10mm

Image	Part Product	Description	Grit
	RT343TH-C100	M-C Thermo Cap 00080 - 100/Pack	Coarse
RPM: 7,000 - 10,000 (Max RPM: 11,000)	RT343TH-M100	M-M Thermo Cap 10150 - 100/Pack	Medium

SK THERMO, round Ø13mm

Image	Part Product	Description	Grit
	RT344TH-C50	L-C Thermo Cap 13080 - 50/Pack	Coarse
	RT344TH-M50	L-M Thermo Cap 13150 - 50/Pack	Medium
	RT344TH-C100	L-C Thermo Cap 13080 - 100/Pack	Coarse
	RT344TH-M100	L-M Thermo Cap 13150 - 100/Pack	Medium
RPM: 7,000 - 10,000 (Max RPM: 11,000)			

SK THERMO, round Ø13mm

Image	Part Product	Description	Grit
	RT345TH-C50	XL-C Thermo Cap 16080 - 50/Pack	Coarse
	RT345TH-M50	XL-M Thermo Cap 16150 - 50/Pack	Medium
	RT345TH-C100	XL-C Thermo Cap 16080 - 100/Pack	Coarse
	RT345TH-M100	XL-M Thermo Cap 16150 - 100/Pack	Medium
RPM: 7,000 - 10,000 (Max RPM: 11,000)			

## HOLDERS

### Precise - Exact Fit - Safe

The LUKAS abrasive cap holders provide a precise fit to both PODO and THERMO abrasive caps and ensure high safety in foot care. During the treatment, the cap is held firmly in place on the holder. After use, caps can be quickly exchanged.

All LUKAS cap holders feature a stainless steel shaft.

Image	Part Product	Description	Recommended Speed / RPM
	RT341-3/32	GT PODO 5 mm round XS	RPM: 7,000 - 10,000 (Max RPM: 11,000)
	RT342-3/32	GT PODO 7 mm round S	RPM: 7,000 - 10,000 (Max RPM: 11,000)
	RT343-3/32	GT PODO 10 mm round M	RPM: 7,000 - 10,000 (Max RPM: 11,000)
	RT344-3/32	GT PODO 13 mm round L	RPM: 7,000 - 10,000 (Max RPM: 11,000)
	RT345-3/32	GT PODO 16 mm round XL	RPM: 7,000 - 10,000 (Max RPM: 11,000)



*The world's first  
innovative colour change  
technology!*

